

STN SEARCH HISTORY

3M
3/28/07

=> d his

(FILE 'HOME' ENTERED AT 12:54:37 ON 28 MAR 2007)

FILE 'MEDLINE, EMBASE, BIOSIS, SCISEARCH, DISSABS, TOXCENTER' ENTERED AT
12:55:06 ON 28 MAR 2007

L1	77 S (EYCKERMAN S?/AU)
L2	1093 S (TAVERNIER J?/AU)
L3	1 S (VADEKERCKHOVE J?/AU)
L4	1711 S (VANDEKERCKHOVE J?/AU)
L5	1095 S L1 OR L2 OR L3
L6	2629 S L5 OR L4
L7	493 S L6 AND RECEPTOR
L8	110 S L6 AND LEPTIN
L9	94 S L7 AND LEPTIN
L10	40 S L7 AND CHIMER?
L11	128 S L9 OR L10
L12	9 S L11 AND (BAIT OR PREY)
L13	5 DUP REM L12 (4 DUPLICATES REMOVED)

=> log y

381
3/28/07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	(ostade.in.) or (nicholson.in. and baca.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L2	48	(cytoplasmic near1 (domain or tail)) near1 (chimer\$3) same receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L3	228	(cytoplasmic near2 (domain or tail)) near2 (chimer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L4	364	prey same receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L5	81	gp130 near5 (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L6	29	(receptor-binding adj proteins) same inhibit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L7	25	SOCS-3 or SOCS3	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L8	9	(two adj hybrid) same (chimeric adj receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L9	1	L7 same cytoplasm\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L10	68	SOCS\$4 same cytoplasm\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L11	274	(SOCS\$4) same receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L12	105	gp130 near10 ((cytoplasmic adj domain) or fusion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L13	0	(bait adj domain) near15 receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L14	321	(SHP-2 or SHP2) same receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L15	213	(inhibitory near20 motif) same receptor and (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L16	51	(death adj domain) same bait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L17	10	bait near5 fused near5 receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L18	7	receptor near5 comprising near5 bait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L19	560	((two or "2") adj hybrid) same receptor same inhibit\$3	US-PGPUB; USPAT	OR	ON	2007/03/28 13:18
L20	67	(prey near15 receptor) and bait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L21	15	(SHP-2 or SHP2) same receptor same (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L22	143	(inhibitory adj motif) same receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L23	54	(eyckerman.in. and sven.in.) or (tavernier.in. and jan.in.) or (vandeckerckhove.in. and joel.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L24	1	valentini and ste2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L25	7	(receptor) near20 (fused near10 cytoplasmic near10 terminus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L26	211	(inhibitory adj motif)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L27	29	L23 and receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L28	2	"20040166538".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L29	7	SOCS\$4 same (two-hybrid or (two adj hybrid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L30	26	(SOCS\$4) same receptor same (chimer\$4 or fus\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L31	5	gp130 near50 bait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L32	13	"5525490".pn. or "5637463".pn. or "5733726".pn. or "6303319".pn. or "6479280".pn. or "9940946"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L33	10	(inhibitory near20 motif) same receptor same (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L34	4	gp130 near5 (chimer\$3 or fus\$3) near5 cytoplasmic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L35	51	(bait same prey same transmembrane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L36	10	(bait near15 receptor) same transmembrane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L37	11	((two or "2") adj hybrid) near10 receptor near10 (inhibit\$3 or reverse)	US-PGPUB; USPAT	OR	ON	2007/03/28 13:18
L38	91	((two or "2") adj hybrid) near15 receptor near15 (inhibit\$3 or reverse)	US-PGPUB; USPAT	OR	ON	2007/03/28 13:18
L39	8	EpoR same gp130 same (chimer\$3 or fus\$3)	US-PGPUB; USPAT	OR	ON	2007/03/28 13:18
L40	5	gp130 near50 bait	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L41	8	epoR and (socs3 or socs-3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L42	41	(receptor near15 bait) same inhibit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L43	6	"200006722"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L44	19	(death adj receptor) same screening	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L45	30	bait near10 fused near10 receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L46	18	(chimeric near5 receptor) near20 (cytoplasmic adj tail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L47	9	(inhibitory near10 motif) same receptor same (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L48	7	(inhibitory adj motif) same receptor same (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L49	3	(receptor) near20 (fused near10 end near10 cytoplasmic near10 domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L50	62	bait same prey same inhibit\$3 same transcription	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L51	7	medici and ste2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L52	3	phosphorylation same ubiquitination same glycosylation same proteolytic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L53	195	(bait same prey same receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L54	117	(prey near15 receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L55	181	(inhibitory near5 motif) same receptor and (chimer\$3 or fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L56	7	(bait near15 (membrane adj protein))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L57	115	(death adj domain) same screening	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L58	567	((two or "2") adj hybrid) same receptor same (inhibit\$3 or reverse)	US-PGPUB; USPAT	OR	ON	2007/03/28 13:18
L59	228	(two adj hybrid) same (fus\$3 near5 receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L60	314	(chimeric adj receptor) same (intracellular adj domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18

EAST Search History

L61	331	(heterologous adj receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L62	23	(chimeric same receptor) near50 (cytoplasmic near50 tail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L63	23	(chimeric same receptor) same (bait or prey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L64	167	(bait near5 receptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L65	253	(two adj hybrid) near5 receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L66	15	(two adj hybrid) near5 receptor same chimers\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L67	322	(chimeric near5 receptor) near5 (heterologous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18
L68	69	(chimeric same receptor) same (gp130)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 13:18